

Nursing Home Quality Initiative

Chronic Care Quality Measures State and National Averages from Quarter 3 of 2006

The table below provides state and national averages of the quality measures being publicly reported on CMS's Nursing Home Compare website (www.medicare.gov) as of January 2007. These chronic care quality measures were calculated by CMS from qualifying MDS data submitted by nursing homes for the target quarter ending in September 2006, with the exception of the vaccination quality measures. The January 2007 posting of the chronic care pneumococcal vaccination quality measures were calculated from records between April and September 2006. The chronic care influenza vaccination quality measures were calculated from records between October 1, 2005 and June 30, 2006. The quality measure data on Nursing Home Compare are refreshed on a quarterly basis. The next update is scheduled to occur in mid-April 2007 with data from the target quarter of 2006 Quarter 4 ending in December 2006.

Chronic Care Measures														
State	ADL Decline	Bedfast	Chronic Care Pain	Depression	Incontinence	Indwelling Catheter	Locomotion	Physical Restraints	Pressure Ulcer High Risk	Pressure Ulcer Low Risk	UTI	Vaccination: Flu	Vaccination: Pneumonia	Weight Loss
AK	7%	5%	7%	12%	53%	8%	7%	2%	11%	11%	8%	96%	96%	8%
AL	14%	7%	4%	10%	45%	4%	11%	4%	11%	2%	9%	86%	71%	9%
AR	15%	5%	5%	11%	41%	5%	11%	14%	11%	2%	8%	93%	73%	9%
AZ	14%	4%	7%	12%	51%	6%	11%	6%	11%	3%	10%	81%	80%	8%
CA	13%	5%	5%	10%	56%	5%	11%	14%	14%	2%	8%	81%	67%	8%
CO	16%	2%	6%	15%	44%	7%	12%	6%	9%	2%	10%	88%	82%	8%
CT	17%	2%	4%	13%	46%	4%	14%	4%	12%	2%	8%	85%	73%	8%
DC	9%	3%	1%	6%	54%	3%	9%	2%	17%	3%	7%	82%	56%	7%
DE	17%	6%	5%	13%	47%	4%	14%	3%	12%	3%	9%	90%	91%	9%
FL	14%	4%	5%	10%	50%	6%	11%	9%	13%	3%	11%	76%	64%	9%
GA	14%	8%	7%	16%	49%	4%	11%	7%	14%	3%	8%	89%	69%	9%
HI	13%	4%	2%	11%	66%	3%	14%	4%	7%	2%	6%	95%	94%	8%
IA	14%	1%	6%	17%	43%	6%	11%	2%	7%	2%	8%	94%	90%	6%
ID	15%	3%	7%	16%	53%	7%	13%	5%	8%	2%	10%	86%	83%	8%
IL	14%	2%	6%	14%	40%	6%	12%	4%	15%	3%	8%	85%	62%	10%
IN	24%	3%	5%	17%	47%	7%	15%	6%	12%	2%	10%	87%	72%	8%
KS	15%	2%	6%	15%	42%	5%	12%	2%	10%	2%	10%	92%	83%	7%
KY	20%	8%	5%	18%	48%	7%	12%	6%	13%	2%	12%	91%	89%	10%
LA	20%	10%	6%	17%	38%	7%	10%	11%	17%	2%	9%	84%	52%	10%
MA	16%	2%	3%	15%	59%	5%	15%	5%	12%	2%	10%	87%	76%	7%
MD	16%	5%	2%	10%	55%	4%	13%	5%	13%	2%	8%	85%	79%	8%
ME	17%	4%	4%	30%	69%	7%	16%	2%	10%	.	9%	90%	82%	9%
MI	13%	3%	5%	13%	50%	5%	11%	6%	12%	2%	9%	87%	78%	9%
MN	16%	1%	4%	20%	49%	6%	13%	3%	8%	1%	7%	92%	88%	7%

Nursing Home Quality Initiative

Chronic Care Quality Measures State and National Averages from Quarter 3 of 2006

The table below provides state and national averages of the quality measures being publicly reported on CMS's Nursing Home Compare website (www.medicare.gov) as of January 2007. These chronic care quality measures were calculated by CMS from qualifying MDS data submitted by nursing homes for the target quarter ending in September 2006, with the exception of the vaccination quality measures. The January 2007 posting of the chronic care pneumococcal vaccination quality measures were calculated from records between April and September 2006. The chronic care influenza vaccination quality measures were calculated from records between October 1, 2005 and June 30, 2006. The quality measure data on Nursing Home Compare are refreshed on a quarterly basis. The next update is scheduled to occur in mid-April 2007 with data from the target quarter of 2006 Quarter 4 ending in December 2006.

Chronic Care Measures														
State	ADL Decline	Bedfast	Chronic Care Pain	Depression	Incontinence	Indwelling Catheter	Locomotion	Physical Restraints	Pressure Ulcer High Risk	Pressure Ulcer Low Risk	UTI	Vaccination: Flu	Vaccination: Pneumonia	Weight Loss
MO	13%	2%	5%	12%	36%	6%	10%	6%	12%	2%	9%	88%	72%	8%
MS	16%	9%	4%	14%	45%	5%	11%	10%	13%	2%	9%	86%	75%	8%
MT	17%	3%	6%	17%	50%	7%	14%	2%	9%	1%	8%	92%	84%	9%
NC	24%	8%	5%	17%	53%	4%	14%	9%	12%	3%	11%	86%	68%	10%
ND	17%	2%	5%	24%	43%	7%	13%	3%	8%	2%	8%	94%	92%	7%
NE	15%	1%	6%	18%	45%	8%	13%	1%	8%	2%	9%	92%	84%	7%
NH	20%	2%	4%	19%	51%	6%	15%	2%	10%	3%	9%	91%	83%	8%
NJ	13%	3%	3%	10%	44%	5%	11%	5%	17%	3%	7%	90%	88%	9%
NM	17%	2%	7%	12%	46%	6%	13%	8%	11%	3%	10%	84%	55%	9%
NV	25%	8%	8%	15%	54%	6%	18%	8%	13%	3%	9%	76%	68%	9%
NY	13%	2%	3%	10%	51%	5%	12%	4%	14%	3%	7%	92%	90%	8%
OH	14%	4%	8%	19%	44%	7%	12%	6%	12%	2%	11%	83%	63%	9%
OK	12%	8%	7%	10%	39%	6%	9%	11%	18%	4%	10%	90%	79%	9%
OR	11%	7%	7%	14%	54%	7%	11%	6%	12%	2%	12%	77%	68%	10%
PA	21%	4%	4%	19%	61%	6%	19%	4%	12%	3%	9%	86%	83%	9%
PR	.%	.%	.%	.%	.%	.%	.%	.%	.%	.%	.%	.%	.%	.%
RI	14%	2%	3%	11%	44%	4%	12%	3%	14%	3%	11%	89%	86%	7%
SC	14%	7%	4%	12%	61%	4%	11%	8%	12%	3%	11%	91%	79%	9%
SD	16%	2%	6%	24%	49%	7%	12%	3%	11%	4%	7%	95%	95%	9%
TN	14%	8%	5%	11%	48%	6%	12%	8%	12%	2%	11%	87%	72%	10%
TX	15%	6%	5%	8%	45%	5%	10%	5%	12%	2%	8%	89%	77%	7%
UT	13%	3%	10%	16%	48%	7%	10%	9%	9%	2%	9%	88%	71%	8%
VA	19%	6%	5%	18%	56%	5%	15%	3%	14%	3%	11%	85%	64%	10%
VT	25%	4%	5%	24%	56%	7%	20%	3%	12%	5%	10%	92%	76%	10%

Nursing Home Quality Initiative

Chronic Care Quality Measures State and National Averages from Quarter 3 of 2006

The table below provides state and national averages of the quality measures being publicly reported on CMS's Nursing Home Compare website (www.medicare.gov) as of January 2007. These chronic care quality measures were calculated by CMS from qualifying MDS data submitted by nursing homes for the target quarter ending in September 2006, with the exception of the vaccination quality measures. The January 2007 posting of the chronic care pneumococcal vaccination quality measures were calculated from records between April and September 2006. The chronic care influenza vaccination quality measures were calculated from records between October 1, 2005 and June 30, 2006. The quality measure data on Nursing Home Compare are refreshed on a quarterly basis. The next update is scheduled to occur in mid-April 2007 with data from the target quarter of 2006 Quarter 4 ending in December 2006.

Chronic Care Measures														
State	ADL Decline	Bedfast	Chronic Care Pain	Depression	Incontinence	Indwelling Catheter	Locomotion	Physical Restraints	Pressure Ulcer High Risk	Pressure Ulcer Low Risk	UTI	Vaccination: Flu	Vaccination: Pneumonia	Weight Loss
WA	14%	5%	7%	20%	56%	8%	12%	3%	12%	4%	12%	84%	77%	10%
WI	16%	2%	4%	16%	44%	7%	13%	2%	10%	2%	9%	93%	90%	8%
WV	19%	6%	5%	15%	53%	7%	13%	4%	13%	3%	11%	93%	81%	11%
WY	12%	1%	9%	15%	41%	9%	10%	5%	9%	2%	9%	95%	86%	11%
Nation	16%	4%	5%	14%	48%	6%	12%	6%	12%	2%	9%	87%	75%	8%

Nursing Home Quality Initiative

Post Acute Care Quality Measures State and National QM Averages from 2006 Quarter 3

The table below provides state and national averages of the quality measures being publicly reported on CMS's Nursing Home Compare website (www.medicare.gov) as of January 2007. These post acute care quality measures were calculated by CMS from qualifying MDS data submitted by nursing homes for the target quarter ending in September 2006, with the exception of the influenza vaccination quality measures. The January 2007 posting of the post acute care influenza vaccination quality measures were calculated from records between October 1, 2005 and June 30, 2006. The quality measure data on Nursing Home Compare are refreshed on a quarterly basis. The next update is scheduled to occur in mid-April 2007 with data from the target quarter of 2006 Quarter 4 ending in December 2006.

	Post Acute Care Measures				
State	PAC Delirium	PAC Pain	PAC Pressure Ulcer	PAC Vaccination: Flu	PAC Vaccination: Pneumonia
AK	1%	42%	23%	83%	70%
AL	1%	17%	17%	69%	59%
AR	2%	16%	15%	83%	66%
AZ	2%	30%	16%	70%	71%
CA	1%	26%	23%	67%	59%
CO	2%	26%	12%	76%	72%
CT	2%	22%	17%	69%	60%
DC	1%	13%	23%	61%	38%
DE	3%	22%	16%	81%	80%
FL	2%	21%	18%	61%	58%
GA	3%	23%	18%	74%	64%
HI	2%	21%	14%	81%	71%
IA	4%	28%	13%	85%	82%
ID	4%	31%	16%	76%	73%
IL	3%	23%	18%	69%	54%
IN	2%	19%	14%	71%	62%
KS	3%	23%	15%	79%	69%
KY	1%	19%	16%	82%	80%
LA	4%	16%	17%	72%	51%
MA	2%	20%	17%	74%	68%
MD	2%	16%	18%	69%	63%
ME	4%	23%	16%	77%	71%
MI	3%	22%	15%	75%	69%
MN	2%	23%	12%	80%	77%

Nursing Home Quality Initiative

Post Acute Care Quality Measures State and National QM Averages from 2006 Quarter 3

The table below provides state and national averages of the quality measures being publicly reported on CMS's Nursing Home Compare website (www.medicare.gov) as of January 2007. These post acute care quality measures were calculated by CMS from qualifying MDS data submitted by nursing homes for the target quarter ending in September 2006, with the exception of the influenza vaccination quality measures. The January 2007 posting of the post acute care influenza vaccination quality measures were calculated from records between October 1, 2005 and June 30, 2006. The quality measure data on Nursing Home Compare are refreshed on a quarterly basis. The next update is scheduled to occur in mid-April 2007 with data from the target quarter of 2006 Quarter 4 ending in December 2006.

	Post Acute Care Measures				
State	PAC Delirium	PAC Pain	PAC Pressure Ulcer	PAC Vaccination: Flu	PAC Vaccination: Pneumonia
MO	4%	23%	14%	75%	63%
MS	3%	16%	16%	70%	63%
MT	4%	35%	18%	81%	73%
NC	2%	20%	15%	70%	60%
ND	5%	21%	15%	88%	90%
NE	4%	27%	12%	81%	76%
NH	3%	21%	15%	77%	75%
NJ	1%	17%	21%	82%	82%
NM	2%	30%	15%	65%	48%
NV	2%	22%	17%	64%	57%
NY	1%	17%	21%	80%	80%
OH	3%	27%	16%	66%	58%
OK	2%	25%	21%	79%	73%
OR	4%	35%	14%	64%	61%
PA	2%	20%	18%	77%	74%
PR	1%	14%	25%	57%	38%
RI	2%	18%	18%	80%	75%
SC	2%	17%	18%	75%	69%
SD	2%	28%	14%	83%	84%
TN	2%	21%	17%	70%	62%
TX	2%	17%	15%	75%	66%
UT	2%	33%	14%	80%	68%
VA	3%	20%	17%	65%	52%
VT	4%	25%	20%	73%	62%

Nursing Home Quality Initiative

Post Acute Care Quality Measures State and National QM Averages from 2006 Quarter 3

The table below provides state and national averages of the quality measures being publicly reported on CMS's Nursing Home Compare website (www.medicare.gov) as of January 2007. These post acute care quality measures were calculated by CMS from qualifying MDS data submitted by nursing homes for the target quarter ending in September 2006, with the exception of the influenza vaccination quality measures. The January 2007 posting of the post acute care influenza vaccination quality measures were calculated from records between October 1, 2005 and June 30, 2006. The quality measure data on Nursing Home Compare are refreshed on a quarterly basis. The next update is scheduled to occur in mid-April 2007 with data from the target quarter of 2006 Quarter 4 ending in December 2006.

	Post Acute Care Measures				
State	PAC Delirium	PAC Pain	PAC Pressure Ulcer	PAC Vaccination: Flu	PAC Vaccination: Pneumonia
WA	4%	33%	15%	71%	68%
WI	3%	27%	15%	82%	80%
WV	2%	21%	21%	79%	71%
WY	2%	30%	14%	82%	74%
Nation	2%	22%	17%	73%	66%